



LEGEND	
-----	BOUNDARY OF ASBESTOS-CONTAINING SPRAYED-ON FIREPROOFING ON CEILING DECK
.....	APPROXIMATE LOCATION OF ENERGIZED ELECTRICAL CONDUITS TO BE PROTECTED IN THE WORK AREA

GENERAL NOTES
1. THE PORT AUTHORITY HAS PETITIONED THE NYS-DOL TO ALLOW THE USE OF ENERGIZED ELECTRICAL CONDUIT WITHIN THE FULL CONTAINMENT WORK AREAS. PROTECTION OF THESE CONDUITS SHALL, AS A MINIMUM, INCLUDE WRAPPING AND SEALING WITH THREE LAYERS OF F.R. POLY-ETHYLENE SHEETING AND LABELING FOR INSTANT RECOGNITION.

I HEREBY CERTIFY THAT THIS IS A TRUE AND CORRECT COPY OF ONE OF THE CONTRACT DRAWINGS SUBSTITUTING A PART OF CONTRACT NO. 1072- IN THE FORM IN WHICH SAID DRAWINGS EXIST AT THE TIME THE SAID CONTRACT WAS EXECUTED BY THE PARTIES.

DATE 6/22/95 *Samuel A. A.* SPEC. WRITER

DATE 8/15/95 *Peter K. J.* ENGINEER OF DESIGN